



Klemsan®

304134 AVK 4

4mm², screw type, single deck feed through terminal block, Insulation material PA, Red

General Product Information	Insulating material	PA 66
	Inflammability class acc. to UL 94	V2
Dimensions	Width	6 mm
	Length	44.2 mm
	Height (MR 32)	— mm
	Height (MR 35x7.5)	44.5 mm
TSE / CE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	32 A
	Cross Section	4 mm ²
	Norm	EN 60947-7-1
VDE Technical Data	Nominal Voltage	750 V ~
	Nominal Current	32 A
	Cross Section	4 mm ²
	VDE Norm	IEC 60947-7-1
UL / CSA Technical Data	Nominal Voltage	600 V ~
	Nominal Current	30 A
	Cross Section	AWG/26-10
ATEX Technical Data	Nominal Voltage	400 V ~
	Nominal Current	28 A
	Cross Section	4
Connection Data	Minimum solid strand cross section	0.5 mm ²
	Maximum solid Strand cross section	6 mm ²
	Minimum fine Strand cross section	1.5 mm ²

Maximum fine strand cross section	4 mm ²
AWG Conductor Range	26-10
Connection Type	screw/vidalı
Insulation Stripping length	10 mm
Tightening torque	0.5 Nm



Alçak Gerilim direktiflerine uygunluk belgesi - VDE Certificate

ATOM - ATOM Certificate

Türk Standartlarına Uygunluk Belgesi - TSE Certificate

Ukrayna Uygunluk Sertifikası - Ukrayna Uygunluk Sertifikası

Avrupa standartlarına uygunluk belgesi - CE Certificate

UL Sertifikası - UL Certificate

CSA - CE Certificate

Norveç onaylı denizcilik sektöründe kullanılabilirlik belgesi - DNV Certificate

Rusya Onaylı Denizcilik Sertifikası - Rusya Denizcilik Certificate

Order Info

■	304130	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Grey
■	304131	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Blue
■	304132	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Green
■	304133	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Yellow
■	304134	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Red
■	304139	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Beige
■	304135	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Black
□	304136	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,White
■	304137	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Orange
■	304138	4mm ² ,screw type,single deck feed through terminal block,Insulation material PA,Brown

