

LARGE DISPLAY RST-38

DIGITS WITH 38 MM



Large digit display with digits of 38 mm Features:

- High luminosity
- 4 red digits of 38 mm
- Process display: -999/9999°C (Decimal point selectable)
- IP65 enviromental protection

APPLICATIONS:

Cooling chambers - doors fridges - ovens - enviromental

LARGE DISPLAY RST-38

DIGIT WITH 38 MM

- **INPUT:**

- PT100 3 Wires Sensor NTC 10K or PTC 1K
- 4-20mA
- 0-10V

- **POWER SUPPLY:**

- 100...250 VAC-DC
- Max Consumption: 10 VA

- **DISPLAY:**

- 4 red digit with 7 segments: High Luminosity
- Digit Height: 38 mm
- Viewing distance: 30 meters
- Non reflexive frontal
- Display range: -999 / 9999°C

LARGE DISPLAY RST-38

DIGIT WITH 38 MM

ISOLATION:

- Input / Output/ supply: 1500V

FORMAT:

- Dimensions 180 x 200 x 93 mm
- IP Protection: IP65
- Enclosure: Impact - resistant Plastic self extinguishing: ABS, UL94V0
- Weight: 950 Gr

ENVIROMENTAL:

- Working temperaure: -19°C +60°C
- Storage Temperature:: -40°C +80°C


OUTPUT:

- 4/20mA
- 0-20mA
- 0/10V:
- 2 relays

CE NORM

LARGE DISPLAY RST-38

DIGIT WITH 38 MM



LARGE DISPLAY RST-38

DIGIT WITH 38 MM

Optional - QUICK CONNECT M12 CONNECTOR - Could be add an M12 connector on the display to connect directly sensors for enviromental measurement or for insertion applications like control temperature in ripening rooms or frozen fish or meat rooms....

